

The background image shows an industrial site with numerous large yellow pipes and valves. Two workers in blue uniforms and hard hats are visible, one standing and one walking. The scene is set against a backdrop of distant mountains and a clear sky. A yellow banner is at the top, and a horizontal line is positioned below the main text.

电测检测专家

济宁鲁科

腐蚀测厚机器人

LKEMAT-A2

永磁吸附，电磁超声测厚；

适应管径：轴向运行 $\geq 50\text{mm}$ ，螺旋环向运行 $\geq 80\text{mm}$ ；

遥控距离：对地：2—5KM，对空：5—10KM；

行进速度：0—6m/min（无极调速）；




多角度展示

>>>



产品尺寸

>>>



适用多种场景

>>>

磁力爬壁设计

**可垂直、水平、倒置吸附于铁磁性表面，
适应管道、储罐、船舶等曲面及高空场景。**



遥控距离：大于1km（空旷无干扰）

无线遥控控制，配备高清摄像头实时监控检测路径



远程操控

>>>

实时显示厚度数据，可以远程查看与存储



采用主备用电源机制，有效保证机器人安全回收



主备用电源一体式设计
无需担心中途断电问题

吸附力

>>>

磁力爬壁设计
吸附力: 10kg (垂直)



10KG

屏幕显示

>>>

像素：>500万

显示屏幕：5.5寸高亮显示屏

分辨率1920*1080 (1000nits)





压力管道



压力容器



船舶工业



石油石化



航空航天



电力设备



工业制造



高校科研



钢结构



军工



核电



铁路